



CORRIGENDUM-1

October 30, 2024

Subject: Tender No: HBC/PUR/PUBLIC TENDER 12/2024-25 Dt. October 14, 2025

Name of the work: Designing, Providing, Fabricating and Fixing of Roofing Shed Over Main Building Terrace Phase-II at HBCSE

Dear Bidders/Vendors,

Reference subject tender published on CPP Portal, HBCSE and TIFR website on October 14, 2024 the following Corrigendum (**Highlighted**) to the subject is issued for tender document.

Bidders are requested to kindly submit their quotations with full knowledge of following Corrigendum-

1. SECTION 8 : SCHEDULE OF QUANTITIES (Please see the BOQ)

Point No. 1 (A) f) : Painting: Painting over new MS structure with one coat of zinc chromate primer and one to two coats of **enamel paint** of approved make including finishing and site cleaning. (Page No. 23)

Point (1) (B) Providing permanent **Off White colour** coated 150 GSM (0.5 mm thick) Hi-Rib profile sheets and ridge sheet of min. 0.5mm Total Coated Thickness (TCT) galvalume sheet having minimum yield strength of 550 MPa with top coat (of approved colour)of 20 micron and back coating of 10 micron of M/s. TATA, JSW or standard approved equivalent make, and its fixing with self-drilling /self-tapping screws plated of size min. 5.5x 55 mm of M/s. Bosch, Hilti, HP or standard approved equivalent make with life span of at least 10 years including EPDM seal washer etc. complete upto any pitch and surfaces. as directed by EIC. (Page No. 24)

All other tender conditions remain unchanged.

(Pragati Dandekar)
Head Administrative Operations

